

# Alpine<sup>®</sup>

## Cockroach Gel Bait Rotation 2 Reservoir

ACCEPTED  
FOR REGISTRATION

Jan 13, 2017

New York State Department  
of Environmental Conservation  
Division of Materials Management  
Pesticide Product Registration**Smart Solutions Facts**

A gel bait formulation to kill cockroaches in commercial and residential environments. Key attributes include:

- May be used in conjunction with non-repellent residual insecticides such as those containing chlorfenapyr (e.g., **PT<sup>®</sup> Phantom<sup>®</sup> II Pressurized Insecticide, Phantom<sup>®</sup> Termiticide-Insecticide**), dinotefuran (e.g., **Alpine<sup>®</sup> WSG Water Soluble Granules, PT<sup>®</sup> Alpine<sup>®</sup> Pressurized Insecticide**) and abamectin B<sub>1</sub> (e.g., **Avert<sup>®</sup> DF Dry Flowable Cockroach Bait**) or similar products. Always follow label use directions and applicable laws.
- For best management practices, use the bait as part of an overall Integrated Pest Management (IPM) program including use of non-repellent residuals.

- Easy to Use
- Effective Roach Control

**KILLS:** Cockroaches**FOR USE IN AND AROUND:** Commercial, Institutional, and Warehousing Establishments (including Computer Facilities, Food/Feed Processing Plants, Hospitals, Hotels, Laboratories, Motels, Nursing Homes, Pet Shops, Restaurants, Schools, Supermarkets, Warehouses, and Zoos); Residences; and Transportation Equipment (Aircraft, Boats, Buses, Ships, and Trains)**ACTIVE INGREDIENT:**

Dinotefuran . . . . . 0.5%

**OTHER INGREDIENTS:** . . . . . 99.5%**TOTAL:** . . . . . 100.0%**CAS No. 165252-70-0****EPA Reg. No. 499-507****EPA Est. No. 7969-M0-1****KEEP OUT OF REACH OF CHILDREN  
CAUTION/PRECAUCION**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**In case of an emergency endangering life or property involving this product, call day or night 1-800-832-HELP (4357).****NET WEIGHT: 1.058 ounces (30 grams)**BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709  
81093568 NVA 2016-05-440-0288

Product of Japan. Manufactured in the USA with imported and domestic materials.

**FIRST AID**

<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• <b>DO NOT</b> induce vomiting unless told to do so by a poison control center or doctor.</li> <li>• <b>DO NOT</b> give anything to an unconscious person.</li> </ul>
<b>If on skin</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15 to 20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>

**HOTLINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

You may also contact BASF Corporation for emergency medical treatment information: 1-800-832-HELP (4357).

**Precautionary Statements****Hazards to Humans and Domestic Animals****CAUTION.** Harmful if swallowed or absorbed through the skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.**Environmental Hazards****DO NOT** apply directly to water. **DO NOT** contaminate water by cleaning of equipment or disposal of equipment washwaters.**Physical or Chemical Hazards****DO NOT** store or use near heat or open flame. **DO NOT** use this product where a possibility of a shock hazard exists.**Directions For Use**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL.** Use strictly in accordance with **Precautionary Statements** and **Directions For Use** and with applicable state and federal regulations. Apply bait only in areas inaccessible to children and pets.**Use Restrictions**

- Keep out of sunlight or excess heat.
- **DO NOT** apply bait to surfaces which may reach excessive temperatures. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, steam tables, toasters, fryers, dishwashers, and hot water pipes.



8 04338 11795 5

**BASF**  
We create chemistry

## STORAGE AND DISPOSAL

**DO NOT** contaminate water, food, or feed by storage or disposal.

### Pesticide Storage

Store in a cool, dry area away from heat or open flame, in an area that is inaccessible to children and animals.

### Pesticide Disposal

Wastes resulting from use of this product may be disposed of on-site or at an approved waste disposal facility. If these wastes cannot be disposed of according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representatives at the nearest EPA Regional Office for guidance.

### Container Handling

**Non-refillable container. DO NOT** reuse or refill this container/reservoir. Empty container/reservoir by using the product according to label directions. Offer empty container/reservoir for recycling, if available, or place in trash if allowed by state and local regulations. If container/reservoir is partly filled, contact your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

### In Case of Emergency

In case of large-scale spill of this product, call:

- CHEMTREC 1-800-424-9300
- BASF Corporation 1-800-832-HELP (4357)

In case of medical emergency regarding this product, call:

- Your local doctor for immediate treatment
- Your local poison control center (hospital)
- BASF Corporation 1-800-832-HELP (4357)

## Application Instructions

### Spot Treatment

To apply gel, remove cap from tip of applicator tube. Apply gel in a 3 to 6 millimeter diameter spot (0.25 to 0.50 gram). Approximately 10 spots per 100 square feet are recommended for use under conditions with low to moderate infestation. For more severe infestations, approximately 20 spots per 100 square feet are recommended. Apply many spots in areas of roach traffic and suspected harborage. Numerous small application spots are preferable to fewer larger application spots. Bait may be placed on top of or prior to non-repellent insecticide applications.

**DO NOT** treat food preparation surfaces. **DO NOT** apply gels to areas that have been recently sprayed with a repellent insecticide. **DO NOT** spray repellent insecticide products over gel placements as this may make gel repellent and reduce its effectiveness. **DO NOT** place treatments in locations where routine cleaning might remove bait or transfer bait to food or food preparation surfaces.

This product will stick to surfaces that are not dusty or greasy. Reapply if gel placements are no longer visible and/or reinfestation occurs. Replace cap when finished dispensing gel. Use paper towel to remove unwanted bait placements and then discard in trash.

### Crack & Crevice® Treatment

This product can be applied as spots or as a line along cracks and crevices. Gel bait should be applied directly into cracks and crevices where insects hide. Place the applicator tip directly into cracks and crevices and deposit gel in small spots or in a continuous bead. Bait should be in the void area and not on open or exposed surfaces.

### Food Handling Establishments

Application within food areas of food handling establishments is limited to cracks and crevices where insects hide. To apply gel, remove cap from tip of applicator tube. Apply gel in a 3 to 6 millimeter diameter bead (0.25 to 0.50 gram). Approximately 10 bait placements per 100 square feet are recommended for use under conditions with low to moderate infestation. For more severe infestations, approximately 20 bait placements per 100 square feet are recommended.

Numerous small applications are preferable to fewer larger applications. Bait should not be used in open areas or on surfaces where contamination of food or food handling equipment may occur. Replace cap when finished dispensing gel.

Reapply gel if previous applications are no longer visible and/or reinfestation occurs.

### Applications in Aircraft

Application within passenger areas of aircraft is limited to **Crack & Crevice** treatment only. Apply in areas between elements of construction (such as areas under sinks, openings around pipes, under shelving, where shelving meets other shelves or the wall, area between and around microwaves, where support braces attach to the main structure, and where seats are attached to the floor). Apply 10 to 20 bait spots per 100 square feet as described above. **DO NOT** apply bait to areas where food, utensils, or food preparation surfaces may become contaminated. **DO NOT** apply bait to areas that are routinely washed such as cracks and crevices in tops of tables, food preparation, and food holding surfaces as bait may be removed by washing. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface. During follow-up visits, inspect bait placements and reapply when previous applications are no longer visible and/or reinfestation occurs. **DO NOT** apply any bait in cockpit area.

### Outdoor Use

Use for control of cockroaches. Inject into cracks and crevices around windows and doors, porches, screens, eaves, patios, garages, under stairways, and other areas adjacent to structures where cockroaches may find harborage.

## Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as environmental conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer. BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above. **TO THE EXTENT CONSISTENT WITH APPLICABLE LAW: (A) BASF MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED, INCLUDING WARRANTIES OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY, (B) BUYER'S EXCLUSIVE REMEDY AND BASF'S AND SELLER'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT, AND (C) BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, INCIDENTAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.** BASF and the Seller offer this product, and the Buyer and User accept it, subject to these **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF. PCS915

*Alpine, Avert, Crack & Crevice, and Phantom are registered trademarks of BASF.*

© 2016 BASF Corporation  
All rights reserved.

000499-00507.20160601.NVA 2016-04-440-0121  
Based on: NVA 2015-04-440-0178  
Supersedes: NVA 2013-04-440-0236

  
We create chemistry

BASF Corporation  
26 Davis Drive  
Research Triangle Park, NC 27709

# Alpine<sup>®</sup>

## Cockroach Gel Bait Rotation 2 Reservoir

**ACTIVE INGREDIENT:**

Dinotefuran ..... 0.5%

**OTHER INGREDIENTS:** ..... 99.5%

**TOTAL:** ..... 100.0%

CAS No. 165252-70-0

EPA Reg. No. 499-507

EPA Est. No. 7969-MO-1

**KEEP OUT OF REACH OF CHILDREN  
CAUTION/PRECAUTION**

**IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH  
ITS LABELING.**

Refer to full label for **First Aid, Precautionary Statements, Directions For Use, and Conditions of Sale  
and Warranty.**

**NET WEIGHT: 1.058 ounces (30 grams)**

81091918 NVA 2016-05-440-0287

Product of Japan. Manufactured in the USA with imported and domestic materials.

BASF Corporation  
26 Davis Drive  
Research Triangle Park  
NC 27709

**BASF**  
We create chemistry

3.5"  
AROUND

3.375"  
ACROSS